Avoidable Repeat Rate for September 2025 for Newborn Blood Spot Screening - Manchester Laboratory

The avoidable repeat rate for samples received during September is displayed by Trust in Figure 1. The raw data is provided in Tables 2 and 3. The avoidable repeat rate is calculated by dividing the total number of avoidable repeats by the number of babies tested (i.e. first samples).

Acceptable: Avoidable repeat rate is ≤ 2.0%

Achievable: Avoidable repeat rate is ≤ 1.0%

A list of trust codes is provided in Table 1.

Table 1

Code	Trust Name
RXL	BLACKPOOL TEACHING HOSPITALS NHS FOUNDATION TRUST
RMC	BOLTON NHS FOUNDATION TRUST
RXR	EAST LANCASHIRE HOSPITALS NHS TRUST
RXN	LANCASHIRE TEACHING HOSPITALS NHS FOUNDATION TRUST
RW3	MANCHESTER UNIVERSITY NHS FOUNDATION TRUST – ST. MARY'S & RMCH
RM2	MANCHESTER UNIVERSITY NHS FOUNDATION TRUST – WYTHENSHAWE
NM-R0A	MANCHESTER UNIVERSITY NHS FOUNDATION TRUST – NORTH MANCHESTER
OL-RW6	NORTHERN CARE ALLIANCE
RVY	SOUTHPORT AND ORMSKIRK HOSPITAL NHS TRUST
RWJ	STOCKPORT NHS FOUNDATION TRUST
RMP	TAMESIDE HOSPITAL NHS FOUNDATION TRUST
RTX	UNIVERSITY HOSPITALS OF MORECAMBE BAY NHS FOUNDATION TRUST
RRF	WRIGHTINGTON, WIGAN AND LEIGH NHS FOUNDATION TRUST

Figure 1 - Avoidable repeats by Trust - September 2025




Table 2 – Avoidable repeats by Trust for September 2025

Maternity Unit	Number of first samples received/ babies tested	Too soon after transfusion (<72 hours)*	Too young for reliable screening (≤ 4 days)	Blood spot damaged in transit	Bloodspot compressed/ damaged	Expired bloodspot card	Incorrect application of blood on card	Insufficient quantity	>14 days in transit	No NHS number	Contaminated (discrepant IRT)	Missing sample date	DOB missing	Number of Avoidable Repeat Requests	Avoidable Repeat Requests Rate
Blackpool Teaching Hospitals NHS FT	203	0	0	0	1	0	0	0	0	0	0	0	0	1	0.5%
Bolton NHS FT	449	2	0	0	7	0	1	3	0	1	0	3	0	15	3.3%
East Lancashire Hospitals NHS Trust	571	3	2	0	5	0	1	6	0	0	0	1	0	15	2.6%
Health Visitor	77	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
Lancashire Teaching Hospitals NHS FT	347	0	0	0	1	0	1	5	0	0	0	2	0	9	2.6%
Manchester University NHS FT - SMH, RMCH, WH & NMGH	1095	4	1	0	11	0	2	4	0	2	0	1	0	21	1.9%
Not stated	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
Oldham (NCA)	548	0	2	0	6	0	2	9	0	0	0	3	0	22	4.0%
Southport & Ormskirk Hospital NHS Trust	40	0	1	0	0	0	0	2	0	0	0	0	0	3	7.5%
Stockport NHS FT	280	0	0	0	5	1	0	4	0	1	0	0	0	11	3.9%
Tameside And Glossop Integrated Care NHS FT	234	0	0	0	1	0	0	4	0	0	0	0	0	5	2.1%
University Hospitals of Morecambe Bay NHS FT	200	0	0	0	3	0	0	0	0	0	0	0	0	3	1.5%
Wrightington, Wigan and Leigh NHS FT	296	1	0	0	3	0	0	2	0	2	0	3	0	10	3.4%
Grand Total	4340	10	6	0	43	1	7	39	0	6	0	13	0	115	2.6%

^{*}Not included in calculation of avoidable repeats

Table 3 – Avoidable repeats by current hospital (in-patients) for September 2025

Current Hospital	Number of first samples received/ babies tested	Too soon after transfusion (<72 hours)*	Too young for reliable screening (≤ 4 days)	Blood spot damaged in transit	Bloodspot compressed/ damaged	Expired bloodspot card	Incorrect application of blood on card	Insufficient quantity	>14 days in transit	No NHS number	Contaminated (discrepant IRT)	Missing sample date	DOB missing	Number of Avoidable Repeat Requests	Avoidable Repeat Requests Rate
Burnley General Hospital	58	3	0	0	1	0	0	4	0	0	0	0	0	5	8.6%
Royal Bolton Hospital	43	2	0	0	1	0	1	2	0	1	0	0	0	5	11.6%
Blackpool Victoria Hospital	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
Furness General Hospital	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
North Manchester General Hospital	25	0	0	0	1	0	1	0	0	0	0	0	0	2	8.0%
Not in hospital	3905	0	5	0	35	1	1	25	0	2	0	12	0	81	2.1%
Ormskirk & District General	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
Royal Albert Edward Infirmary	15	1	0	0	0	0	0	0	0	1	0	0	0	1	6.7%
Royal Blackburn Hospital	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
Royal Lancaster Infirmary	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
Royal Manchester Childrens Hospital	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
Royal Oldham Hospital	49	0	0	0	1	0	2	6	0	0	0	1	0	10	20.4%
Royal Preston Hospital	33	0	0	0	1	0	1	0	0	0	0	0	0	2	6.1%
Stepping Hill Hospital	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
St Mary's Hospital, Manchester	99	3	1	0	1	0	0	0	0	0	0	0	0	2	2.0%
Tameside General Hospital	20	0	0	0	0	0	0	1	0	0	0	0	0	1	5.0%
Wythenshawe Hospital	33	0	0	0	2	0	1	1	0	2	0	0	0	6	18.2%
Grand Total	4340	10	6	0	43	1	7	39	0	6	0	13	0	115	2.6%

^{*}Not included in calculation of avoidable repeats

Tips to help avoid rejection of samples:

- Collect sample on day 5 (date of birth is day 0)
- Check the expiry date on the card
- Wash the baby's heel with water to reduce the risk of a contaminated IRT result
- Ensure that blood spots are the size of the guide circles on the card
- Allow the blood to drop onto the card rather than touching the filter paper to the baby's heel
- Some brands of lancet device are more effective than others
- Extra blood spots, in addition to the 4 indicated by the guide circles, can be collected elsewhere on the card
- Repeat the test at the same visit if the spots are too small or have not soaked through to the back of the card
- Make sure there is a valid NHS number on the card

Conclusion

The avoidable repeat rate for September was 2.6%, which was same as for August. The most common reason for rejection of samples was a compressed/damaged sample followed by insufficient blood. One maternity unit met the achievable standard and two met the acceptable standard.