



Saint Mary's Managed Clinical Service Division of Gynaecology

PATIENT INFORMATION LEAFLET

IN-PATIENT MEDICAL MANAGEMENT OF MISCARRIAGE UP TO 10 WEEKS GESTATION

We are sorry that you have received bad news about your pregnancy. We realise this is a very distressing time for you. The staff are here to support and help you throughout this difficult time. If, after reading this leaflet, there is anything you are worried about or unsure of, please let us know.

WHAT WILL HAPPEN?

Please attend for treatment:
on (date):
at (time):
at (location):

WHAT SHOULD I BRING?

You may bring your partner or friend with you for support. Wear comfortable clothes, we recommend that you bring a small overnight bag with you, including spare clothing, underwear, sanitary products and toiletries. You may like to bring books, magazines, or electronics with you to help pass the time.

WHAT WILL HAPPEN?

Two days before you have an appointment to attend the ward you will be given a tablet called Mifepristone to take by mouth. This tablet prepares the body for the tablets that you will have when you attend the ward to start the process of the miscarriage. When you arrive on the ward you will be shown to your bed and the nurse will explain about your care. You will be given four small vaginal pessaries (a small block of medicine that dissolves). The medication used for medical management of miscarriage is called Misoprostol.

SMPIL-23-011 Updated: December 2023 Review: December 2026 Page 1 of 4

These pessaries cause the neck of the womb (cervix) to soften and open. They cause the womb (uterus) to contract and will help to induce the miscarriage. If the pregnancy has not been passed within 4 hours of having the pessaries, the nurse will administer a further dose of Misoprostol orally.

The time this takes varies from one woman to another, however you should be prepared to stay in hospital for approximately 6-8 hours. On rare occasions, you may need to stay overnight.

Your blood loss, temperature, pulse and blood pressure will be monitored as required.

You may eat and drink as normal throughout your admission.

You may experience stomach cramps. This is quite normal and means that the pessaries are working. If you require pain relief to ease the discomfort, please do not hesitate to let your nurse know. The pessaries can sometimes cause you to feel sick; if this happens, you will be offered antisickness medications.

You will be asked to use a bed pan every time you need the toilet so that the nurse can check for blood loss and pregnancy tissue. Diarrhoea can sometimes be a side effect of the pessaries, but please do not be embarrassed.

WHEN CAN I GO HOME?

You can expect to be on the ward for about 6-8 hours. Please ensure that you have someone to take you home and care for you overnight: you should not drive yourself home.

The nurse will come and see you before you go home and will try to answer any questions you may have. If there is any doubt as to whether the process is complete, an ultrasound will be arranged for you in 7-10 days' time. A letter will be sent to your GP informing them of your admission to the ward.

HOW WILL I FEEL?

Everyone feels differently because we are all unique. Over the next few weeks, you may experience days when you feel completely 'back to normal', but you may also have days when you may feel sadness or a sense of loss. All these feelings are normal, but you might find it helpful to talk to someone you know and whom you feel close to.

If you wish to talk to someone about your feelings and are unable to do so with a partner, close friend or family member, you might like to consider contacting one of our Counsellors on the number given at the end of this leaflet.

PAIN

For the next week or two you may experience period-like cramps. We advise you to get plenty of rest. If you are experiencing pain that is not managed by simple pain relief, you must contact the EGU/GAU on the number below.

You can take any pain-relieving medicines that suit you to ease any discomfort, but please ensure that you follow the instructions on the packet, and **it is important that you do not** exceed the stated dosage.

Some women find that a hot water bottle also provides some pain relief and comfort.

SMPIL-23-000 Updated: December 2023 Review: December 2026 Page **2** of **4**

BLEEDING

This may vary. You may bleed for up to 3 weeks or have little or no bleeding at all. Your bleeding may be bright red or dark brown and you may lose some small clots: do not be concerned about this. If you experience heavy bleeding (saturating a sanitary pad within an hour) or have an offensive discharge you must contact EGU/GAU.

Your next period may be heavier or lighter than usual and will usually happen 3-6 weeks after this treatment.

WHEN CAN I START TRYING FOR ANOTHER BABY?

It is perfectly safe to start trying for another pregnancy once you and your partner feel ready to (providing you feel well, and you have stopped bleeding). For dating reasons, there is an advantage in waiting until your next period, however, if you conceive before your next normal period, there is no increased risk of miscarriage.

If you are planning to get pregnant again, we recommend that you take folic acid tablets (400 micrograms per day) whilst you are trying to conceive and continue to take them until the 12th week of the pregnancy. This helps to reduce the risk of spina-bifida, an abnormality of the baby's spine.

You can buy tablets at your local chemist or supermarket or alternatively you can obtain them from your General Practitioner (GP).

CERTIFICATES

As there is no official national recognition at this time of pregnancy's lost less than 24 weeks' gestation, Saint Mary's Hospital offer certificates of remembrance. If you would like to know more, please ask your nurse or if you have been discharged, please contact the Early Pregnancy Loss specialist nurse or the EGU/GAU.

If you require any further information or clarification, including clarification of terminology, please do not hesitate to talk to one of the doctors or nurses, who will be happy to discuss your concerns with you.

SMPIL-23-000 Updated: December 2023 Review: December 2026 Page 3 of 4

CONTACT DETAILS

Should you require any additional information or help please contact:



Emergency Gynaecology Unit (EGU)

(0161) 291 2561 (24 hours)

The EGU is located at Wythenshawe Hospital (enter via entrance 15)

The department operates a telephone triage service you must call and speak with a specially trained nurse before attending to plan your care

There are no emergency gynaecology services at Saint Mary's Hospital, Oxford Road



Gynaecology Assessment Unit (GAU/F5)

(0161) 720 2010 GAU Reception / (0161) 604 5130 GAU Nurses

Monday to Friday - 07.30 - 20.30

Saturday & Sunday - 08:30 - 16:30

The GAU is located at North Manchester Hospital (Ward F5, via Entrance 1 / main entrance)

To be seen in GAU a referral from your GP, Midwife, A&E or other health care professional is required. GAU is not a self-referral unit.



Early Pregnancy Loss Specialist Nurse

(0161) 276 6571: Monday – Thursday variable hours – answerphone available



Counselling Service (confidential)

(0161) 276 4319: Monday - Friday 8.30 am - 4.30 pm - answerphone available

https://mft.nhs.uk/saint-marys/services/gynaecology/emergency-gynaecology/

USEFUL ADDRESSES

The Miscarriage Association: www.miscarriageassociation.org.uk

Tel: (01924) 200799

Cradle Charity: https://cradlecharity.org/

Phone: 0333 443 4630

Email: info@cradlecharity.org

NHS Choices: www.nhs.uk

SMPIL-23-000 Updated: December 2023 Review: December 2026 Page 4 of 4